





Korpus Page: 2-7




Mantle Page: 9



Classic door Page: 8




Accessories Page: 10-11




Date: 29-09-2021	Constructed /Changed by: rin/sr	SCAN A/S DK-5492 Vissenbjerg©
Drawing number: 90184102		






Page 3



Page 4



Page 5

Page 6




Page 7



Date: 29-09-2021 Constructed /Changed by: rin/sr


Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©









Backside of stove

Date: 29-09-2021


Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©



Spare parts: Scan 84, Classic





Date: 29-09-2021 Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©



Spare parts: Scan 84, Classic






Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©





Date: 29-09-2021


Constructed /Changed by: rin/sr










Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©



Spare parts: Scan 84, Classic





Date: 29-09-2021


Constructed /Changed by: rin/sr

Drawing number: 90184102


SCAN A/S
DK-5492 Vissenbjerg©




AC11




AC12




AC13




AC14




AC15



AC16



AC17



Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©



Spare parts: Scan 84, Classic

Korpus Scan 84-1/2

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
1			Hex head screw with flange, M5 x 10, black	1
2			Hex head screw with flange, M5 x 16, black	1
3	10007726		Bearing, SKF 625 - 2Z/C3 (ø16xø5x5mm)	2
4	10004783		Hex socket button head, M5 x 10	1
5	10004791		Hex socket button head, M5 x 8 (quality 10.9)	1
6	10004798		Hex socket button head w. flange, M5 x 20	2
7	10004805		Hex socket head cap, M5 x 6	1
8	10004838		Hex socket head cap, M5 x 16, black	5
9	10004953		Flangenut w. ripp M5 (DIN 6923)	3
10	10007642		Lock nut M5, metal	2
11	10004954		Fjederskive, buet, HFC 1245	1
12	10045630		Popnut M8 (for sheet thickness 3,0 - 5,5 mm)	4
13	10004960		Flangebushing LEPCMF 06084 B	2
14		51046818	Spring (SF-DF-3438-Lesjöfors)	1
15	10046005		Ball head M6, Ø10 (item nr. 4597)	2
16		51046819	Gasdamper attachment	1
17		51046818	Gas spring SC 83/84	1
18	12061031		Heat shield	1
19	10060387		Closed combustion box	1
20	10059985		Combustion chamber, assembly	1
21	10003146		ø100 Sleeve w/ flange.type ilu (99050023)	1
22		51005837	Riddling grate, upper part, drilled	1
23			Cover plate for cleaning the burnchamber	3
24	10046446		Heat shield for air lib	1
25	10059730		Handle for riddling grate	1
26		51046847	Support piece for baffle plate	1
27	10058191		Closing lever for ash drawer	1
28	10058190		Locking device for door (dolphin)	1
29		51046852	Ash drawer	1
30		51046851	Conneting piece, welded	2
31		51046855	Cover for flue outlet	2
32	12054891		Connecting piece for tube inside. SC 83	1
33	20061015		Silicone tube Ø8/Ø4*11	1
34		51046796	Burnchamber vermaculite	1
35	10059983		Silicone washer Ø15 x 8,5 x 0,5	4

Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©



Spare parts: Scan 84, Classic

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
36	10059982	51061421	silicone button for damper (SH60)	2
37	10004626		Valve holder (center) Ø8/15x4,5	2
38	10045966		Gasket for combustion box, ceramic paper	1
39		51046914	Gasket for cast iron button	1
40	10045475		Bushing, handle for riddling grate	2
41	10046276		Pin for closingspring	2
42		51046849	Gasket for connectingpiece	2
43	10046125		Gasket for fresh air adapter	1
44	10046273		Washer for dolphin lock	1
45		51046797	Castiron button	1
46	10004816		Hex socket head cap, M5 x 10, black	9
47	10007617		Poprivet M3,2 x 7,9	4
48	10007632		Poprivet ø4 x 8 stainless steel	2
49	10007709		Washer, M5, wo. fazet FZB	1
50	10045969		Adjustment screw 19x19 - M8 x 30	4
51	10045971		Cylinder pin ø6*30, stainless steel, A2	1
52	12059474		ECO-Label, Scan 84	1
53	12060996		ECO-Label, Scan 84 UK	1
54	20046598		Silicone tube Ø8/Ø4*11	3
55	10059742		Hex socket flat head, M5 x 12, black	2

SP 1: Ash drawer: 51046852

60	10058189		Welded ash tray	1
61	10004744		Black knitted glass rope, ø8	1

SP 2: Closed combustion box: 51061491

65			Attachment for primary damper	1
66			Bottomplate for closed combustion box	1
68			Combustion box	1
69	10046122		Damper gasket SC 83	2
70	10004954		Bushing spring, supported valve, HFC 1245	2
72	10046123		Gasket for closed combustion box	1
75	10007710		Hex socket head cap, M5 x 50, FZB (DIN 912)	4
77			Primary damper	1
78			Secondary damper	1
79			Spacer for primary damper	1
80			Spacer for secondary damper	1
81			Spacer washer Ø8/18x3,3	2
83	10004626		Valve holder (center) Ø8/15x4,5	2

Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©



Spare parts: Scan 84, Classic

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
67	10038025		Bushing for springloaded damper Ø7,9x12,5	4
71	10004953		Flangenut w. ripp M5 (DIN 6923)	1
73	10049333		Hex socket head cap w. flange, M5 x 10, black	4
74	10049335		Hex socket head cap w. flange, M5 x 16, black	4
76	10046398		Pinol M5 x 25 (DIN 551/BN 427)	1
82	10038031		Spring for dampers (Di=8,3 - Lo=12 - Dt=1)	2
84	10008004		Washer Ø8/Ø16*1.5 (DIN 125 A)	2
85	10046397		Washer ø5,3/20 x 1,5 (HV140)	1

SP 3: Spare part kit, Locking mechanism: 51061261

Cover plate

90	10058090		Cover plate	1
91	12055192		Gasket to cover plate	1
92	10004791		Hex socket button head, M5 x 8 (quality 10.9)	2

SP 4: Spare part kit, Set with 4 screws: 51046856

Classic door: 51061463 BLACK PAINT

Classic door: 51061464 GRAY PAINT

98	10004953		Flangenut w. ripp M5 (DIN 6923)	2
99	10046274		Bottom hinge pin for door	1
100		51046819	Gasdamper attachment	1
101	10007639		M6 FL.nut Din 6923 galvanized Steel 8	1
102	10059747		Front glass (classic door)	1
103	10059989		Door, welded (classic)	1
104	10007912		Glass gasket w. glue, 2x10mm, black	1
105	10059742		Hex socket flat head, M5 x 12, black	11
106	12061032	61061461	Front for steeldoor bolt welded BP	1
106		61061462	Front for steeldoor bolt welded GP	1
107	10038034		Bronze bushing, Ø6/Ø9*10	1
108	10038086		Snap ring, DIN 6799 - Ø4 from magasin	1
109	10046272		Locking pin for door	1
110	10045943		6mm black cord with glue	1
111	10043740		Black cord Ø14 (hard)	1
112	10048732		Fiberglass robe w. tape Ø8	1
113	12061028		support plate door top	1
114	12061024		Bottom list, classic / modern door	1
115		51061380	Assembly for wood handle, black	1

Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©



Spare parts: Scan 84, Classic

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
116	10046770		Hex socket head cap screw w. flange, M4x8 (BN 1392) Black Coated	13
117	10043926		Hinge pin for door	1
118	10060657		Hex socket head cap, M4 x 8	3
119	12061026		Top list, classic / modern door	1
120	10004799		Hex socket set screws M5 x 5 (DIN 913)	1

SP 5: Spare part kit, Locking pin for door: 51049129

Mantle

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
130	10004801		Hex socket button head, M5 x 12, ISO 7380-1 steel 010.9	2
131	10004816		Hex socket head cap, M5 x 10, black	4
132	10004838		Hex socket head cap, M5 x 16, black	8
133	10004812		Hex socket head cap, M5 x 12	4
134		51046799	Cover plate for lower front mantle	1
135		51061423	Lower front cover, assembly, GP	1
135		51061424	Lower front cover, assembly, GWH	1
135		51061422	Lower front cover, assembly, BP	1
136		51061439	Back cover plate, low model,GWHP	1
136		51061438	Back cover plate, low model, GP	1
136	12061043	51061437	Back cover plate, low model, BP	1
137		51061430	front mantle top, GWH	1
137		51061429	front mantle top, GP	1
137		51061428	front mantle top, BP	1
138	12061030		Heat shield left	1
139	12061029		Heat shield right	1
140	12059473		Approval label, Scan 84	1
141	10043740		Glass gasket ø14 (hard), black	2
142	12061049	51061449	Right cover plate, low model welded, BP	1
143	10059981	51061420	Insert for damperhandles	1
144	12061039		holds plate for plastic insert	1
145	10060929		Bushing for front cover bottom	2
146	10046280		Popnut M5x12,3	6
160		51061451	Right cover plate, low model welded, GWH	1
161		51061450	Right cover plate, low model welded, GP	1

Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg©



Spare parts: Scan 84, Classic

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
147	12061040	51061446	Left cover plate, BP	1
147		51061447	Left cover plate, GP	1
147		51061448	Left cover plate, GWH	1
148	10059985		Combustion chamber, assembly	1
149	10045985		Rubber grommet 19/27/33/3	4
150	12061050	51061452	Welded parts for top plate, BP	1
150		51061453	Welded parts for top plate, GP	1
150		51061454	Welded parts for top plate, GWH	1
151	12061047	51061455	Assembly, top cover for stove w. rear outlet, BP	1
151		51061456	Assembly, top cover for stove w. rear outlet, GP	1
151		51061457	Assembly, top cover for stove w. rear outlet, GWH	1
152	12061048		Cover plate, BP	1
152			Cover plate, GP	1
152			Cover plate, GWH	1
153	10007642		Lock nut M5, metal	4

SP 6: Spare part kit, Sparepart kit Screws bolts: 51061518

Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: **90184102**

SCAN A/S
DK-5492 Vissenbjerg©



AC 1: Compl. Top for soapstone rear: 51061131 BLACK PAINT
Compl. Top for soapstone rear: 51061499 GRAY PAINT
Compl. Top for soapstone rear: 51061500 WHITE PAINT

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
200	10004753		Hex head screw with flange, M5 x 10, black	2
201	50060392		soapstone top for rear exit	1
202	12061138		Soapstone top, back exit welded	1
203	12061135		Underlay plate for top plate, welded	1

AC 2: Compl. Top for soapstone top outlet: 51061134 BLACK PAINT
Compl. Top for soapstone top outlet: 51061505 GRAY PAINT
Compl. Top for soapstone top outlet: 51061506 WHITE PAINT

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
210	10004753		Hex head screw with flange, M5 x 10, black	2
211	50060391		soapstone top	1
212	12061139		Soapstone top, top exit welded	1
213	12061135		Underlay plate for top plate, welded	1

AC 3: Compl. Topplate for glass rear: 51061132 BLACK PAINT
Compl. Topplate for glass rear: 51061501 GRAY PAINT
Compl. Topplate for glass rear: 51061502 WHITE PAINT

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
220	12061137		bolt welded top, back exit	1
221	10007639		M6 FL.nut Din 6923 galvanized Steel 8	2
222	10059991		W.glass rear top	1
223	12061135		Underlay plate for top plate, welded	1
224	10059983		Silicone washer Ø15 x 8,5 x 0,5	4

AC 4: Compl. Topplate for glass top outlet: 51061133 BLACK PAINT
Compl. Topplate for glass top outlet: 51061503 GRAY PAINT
Compl. Topplate for glass top outlet: 51061504 WHITE PAINT

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
230	12061136		bolt welded top exit plate	1
231	10007639		M6 FL.nut Din 6923 galvanized Steel 8	2
232	10059983		Silicone washer Ø15 x 8,5 x 0,5	4
233	10059992		Top plate glass	1
234	12061135		Underlay plate for top plate, welded	1

Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
DK-5492 Vissenbjerg®



AC 5: Top for revolving base: 51045366

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
240	10023497		Hex socket flat countersunk head screw, M8x40	2
241	10025214		ROPE LD-250-2 GRAPH. W/ADHESIVE	1
242			Top for revolving base	1

AC 6: Fresh air adapter: 51061392

POS	M3 NO.	SALES NO.	DESCRIPTION	QTY
245	10003146		ø100 Sleeve w/ flange.type ilu (99050023)	1
246	10061112		Deep groove ball bearings single row with two low-friction seals SKF	1
247			Connector piece for second fresh air sleeve	1
248			Distance ring for fresh air adapter	2
249	10004798		Hex socket button head w. flange, M5 x 20	3
250			Welded parts for fresh air adapter	1
251	10004835		Hex socket button head w. flange, M5 x 16	4
252	10007617		Poprivet M3,2 x 7,9	4

AC 7:	Revolving plate	51046363
AC 8:	Wood handle, white oak	51061103
AC 9:	Wood handle, mocca oak	51061104
AC 10:	Wood handle, golden oak	51061105
AC 11:	Small shaped floor plate, steel	51046364
AC 12:	Small shaped floor plate, corner, steel	51046365
AC 13:	Large floor plate, steel	51046366
AC 14:	Small shaped floor plate, glass	50046311
AC 15:	Small shaped floor plate, corner, glass	50046315
AC 16:	Large shaped floor plate, glass	50046313
AC 17:	Large floor plate, glass	50046312

Date: 29-09-2021

Constructed /Changed by: rin/sr

Drawing number: 90184102

SCAN A/S
 DK-5492 Vissenbjerg©
